

WEST Search History

DATE: Wednesday, November 17, 2004

Hide?	Set Name	Query	Hit Count
		<i>DB=USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L4	L3 and 424/450.ccls.	1
<input type="checkbox"/>	L3	lycopene and liposome	68
<input type="checkbox"/>	L2	carotenoid same liposome	30
<input type="checkbox"/>	L1	lycopene same liposome	3

END OF SEARCH HISTORY

[First Hit](#) [Fwd Refs](#)[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

Generate Collection

Print

L1: Entry 2 of 3

File: USPT

Feb 4, 2003

DOCUMENT-IDENTIFIER: US 6515018 B1

TITLE: Synergistic compositions for lycopene and Vitamin E for the prevention of LDL oxidation

Other Reference Publication (4):

Stahl et al., "Carotenoid mixtures protect multilamellar liposomes against oxidative damage: synergistic effects of lycopene and lutein", FEBS Letters, vol. 427, No. 2, pp. 305-308, (1998).

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

[First Hit](#) [Fwd Refs](#)[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)

Generate Collection

Print

L2: Entry 21 of 30

File: USPT

Sep 10, 1996

DOCUMENT-IDENTIFIER: US 5554374 A

**** See image for Certificate of Correction ****

TITLE: Skin preparation using nanospheres

Brief Summary Text (4):

In the document FR-A-2,591,105 corresponding to the document U.S. Pat. No. 5,034,228, a preparation was described for use on the skin, based on liposomes containing as active agent a carotenoid, such as a carotenoid, in particular, beta-carotene. In a practical embodiment (Examples 5 and 6), the liposome suspension also contains a UV-A+B screening agent (no further details being given). This preparation is used for the treatment of solar elastosis and skin regeneration, or as a cicatrizing agent. Unfortunately this type of preparation has hardly been developed, doubtless as a result:

[Previous Doc](#)[Next Doc](#)[Go to Doc#](#)